

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## INDEX TO VOLUME XV.

[New generic, specific and subspecific names are printed in heavy-faced type.]

```
ACANTHIS linaria, 15.
                                        Ammodramus leconteii, 16, 188.
Accipiter atricapillus striatulus,
                                              maritimus, 189.
                                              nigrescens, 270.
         127, 308.
       cooperi, 127, 307.
                                              petenicus, 227.
                                              princeps, 213.
       velox, 127.
Actitis macularia, 27, 52, 76, 134,
                                              sanctorum, 264.
         307, 316.
                                              sandwichensis alaudinus, 15.
                                              sandwichensis savanna, 76.
Ægialitis meloda, 76.
       meloda circumcincta, 27, 62.
                                        Ampelis cedrorum, 17, 136.
       montana, 307.
                                              garrulus, 17.
       semipalmata, 27, 127.
                                        Amphispiza belli, 58, 59, 190.
       vocifera, 27, 307.
                                              belli cinerea, 59.
Aëronautes melanoleucus, 307.
                                              belli clementeæ, 230.
                                              belli nevadensis, 59, 190.
Agelaius phæniceus, 14, 76, 309.
Aglaia cyanocephalus, 226.
                                              bilineata deserticola, 229.
Aimophila mcleodi. 226.
                                              bilineata grisea, 340.
                                              nevadensis, 59.
       petenica, 227.
       ruficeps, 226.
                                        Anas carolinensis, 307.
                                        Anous stolidus ridgwayi, 36, 316.
       ruficeps sororia, 226.
       sartorii, 227.
                                        Anthony, A. W., two new birds
                                          from the Pacific Coast of Amer-
       superciliosa, 224.
Albatross, Black-footed, 317.
                                          ica, 36-38; the Petrels of South-
       Short-tailed, 267.
                                          ern California, 46; a new name
Allen, Francis H., Bicknell's Thrush
                                          for Dryobates v. montanus, 54;
  on Mt. Ktaadn, Maine, 60; notice
                                          Petrels of Southern California,
  of his 'Nature's Diary,' 71; habits
                                          140-144; the Pacific Kittiwake
  of the Maryland Yellowthroat,
                                          (Rissa tridactyla pollicaris) in
Lower California, 267; avifauna
  75.
Allen, J. A., a defense of Canon
                                          of the Revillagigedo Islands,
  XL of the A. O. U. Code, 298-
                                          311–318.
                                        Anthus pensilvanicus, 19, 129.
                                       Antrostomus carolinensis, 61, 330.
Amazilia cinnamomea saturata, 340.
      cerviniventris, 34, 36.
                                              vociferus, 332.
      cerviniventris
                        chalconota,
                                        Apgar, Austin C., notice of his
         32-36, 188.
                                          Birds of the United States east
American Ornithologists' Union,
Fifteenth Congress of, 43-48;
                                          of the Rocky Mountains,' 278.
                                       Aphelocoma woodhousei, 309.
  report of Committee on Protec-
                                       Aphriza virgata, 127.
  tion of North American Birds,
                                       Aquila chrysaëtos, 54, 308.
  81-114, 288; constitution of Com-
                                       Ardea cærulea, 195.
  mittee for Protection of North
                                              egretta, 51.
  American Birds, 80.
                                              herodias, 126, 316.
Ammodramus caudacutus, 76.
                                       Arenaria interpres, 27, 51, 318.
      guttatus, 266.
                                              melanocephala, 127.
      halophilus, 265.
                                       Arremon, 223.
```

Arremon conirostris, 228. Arremonops, 223. chloronota, 157. conirostris canens, 339. richmondi, 228. rufivirgata sumichrasti, 157. venezuelensis, 227. Asio accipitrinus, 234. wilsonianus, 308. Astragalinus mexicanus jouyi, 320. Atlapetes, 223. pileatus dilutus, 228 Atthis morcomi, 325. Audubon, John James, notice of his lite and work, 198-205. Audubon, Maria R., notice of her 'Audubon and his Journals,' 78, 198-205. Audubon Societies for the Protection of Birds, 82-112, 288. Audubon Society of the State of New York, 78. Auklét, Paroquet, 124. Rhinoceros, 124. Automolus rufipectus, 339. Avocet, American, 307. Aythya affinis, 134. americana, 50. marila nearctica, 126, 189. Bangs, Outram, some new races of birds from eastern North America, 173-183; Cairns's Warbler (Dendroica cærulescens cairnsi) in Georgia on migration, 192; notice of his papers on birds from Colombia, 339. Bartsch, Paul, see Nowotny, Dr. Basileuterus belli, 159. culicivorus, 159. Baskett, James Newton, notice of his 'The Story of the Birds,' 71. Baur, G., notice of his paper 'Birds of the Galapagos Archipelago,' 208; obituary of, 286. Belding, Lyman, the song of the Western Meadow Lark, 56. Bendire, Charles Emil, memoir of, 1-6. Bent, A. C., Black Gyrfalcon (Falco rusticolus obsoletus) in Rhode Island, 54; Mockingbird (Mimus polyglottos) at Taunton, Mass., 59. Bergen, Thomas B., early arrival of the Kingbird at Cambridge, Mass., 268. Bird, Cedar, 136.

Bird, Man-o'-War, 314, 316, 318. Red tailed Tropic, 39. Surf, 127. Yellow-billed Tropic, 314, 316, 317. Bittern, American, 281, 307. Least, 195, 281. Blackbird, Brewer's, 309. Red-winged, 309. Rusty, 193. Yellow-headed, 193. Blanchan, Neltje, notice of her 'Bird Neighbors,' 66. Blanford, W.T., notice of his 'Birds of British India,' 336. Bluebird, 137, 174, 182, 194. Chestnut-backed, 311. Florida, 182. Mountain, 311. Bobwhite, 184. Black-breasted, 117, 121. Black-headed, 122. Coyolcos, 117, 121. Godman's, 120, 121. Grayson's, 121. Guatemala, 119, 122. Puebla, 116, 121. Ridgway's, 121. Salvin's, 122. Texas, 121. Bonasa umbellus, 134. Booby, Blue-faced, 314, 316, 317. Brewster's, 314, 316, 317. Webster's, 314, 316, 317. Botaurus exilis, 195. lentiginosus, 307. Bowles, C. W. and J. H., nesting habits of Anthony's Vireo, 138-140. Brachyramphus hypoleucus, 197. marmoratus, 49, 124. Brachyspiza, 224. capensis, 321. capensis canicapilla, 321. capensis chilensis, 321. capensis insularis, 321.

Brackett, Foster H., the Bluewinged Yellow Warbler (Helminthophila pinus) in eastern Massachusetts, 59.
Braislin, Wm. C., the Starling (Sturnus vulgaris) on Long Island, N. Y., 55; the Whitecrowned Sparrow (Zonotrichia leucophrys) on Long Island, N. Y. 58.

capensis peruviana, 321.

Brewster, William, Geotrygon chrysia again at Key West, 185; occurrence of the Spotted Screech Owl (Megascops aspersus) in Arizona, 186; Lewis's Woodpecker storing acorns, 188; revival of the sexual passion in birds in autumn, 194; the Short-eared Owls of Muskeget Island, 211. Brockway, Arthur W., the Turkey Vulture in Connecticut, 53; Carolina Wren at Lyme, Conn., in winter, 192, 274 Bruce, Mary Emily, a month with the Goldfinches, 239–243. Buarremon, 223. basilicus, 339. crassirostris, 225. Bubo virginianus, 71. virginianus arcticus, 71. virginianus occidentalis, 71. virginianus pacificus, 71. virginianus pallescens, 71. virginianus saturatus, 71. virginianus subarcticus, 71. Burtch, Verdi, curious nesting of American Redstart, 332. Buteo borealis calurus, 234, 308. borealis fumosus, 340. socorroensis, 316. swainsoni, 61, 308. Butler, Amos W., notice of his 'Birds of Indiana,' 335. Buzzard, Turkey, 134. CACTORNIS, 208. propinguus, 208. Calcarius lapponicus, 15. lapponicus alascensis, 320. lapponicus coloratus, 320. Callipepla californica vallicola, 234. gambeli, 307. Calypte anna, 235. Camarhynchus, 208. Campephilus imperialis, 217-223. Camptolaimus labradorius, 203. Canachites, 64. Cantwell, Geo. G., notes on the Marbled Murrelet, 49. Cardinalis cardinalis mariæ, 340.

Carpodacus cassini, 15.

clementis, 258.

frontalis, 258.

258, 309.

Catharista atrata, 53, 196.

Catbird, 137.

mexicanus frontalis, 234, 235,

Catharus frantzii alticola, 161. Catherpes mexicanus albifrons, mexicanus conspersus, 310. Ceophlœus pileatus, 135, 176. pileatus abieticola, 176. Cepphus columba, 124. Cerorhinca monocerata, 124. Certhia albifrons, 160. familiaris americana, 137. familiaris montana, 20, 311. familiaris occidentalis, 130. mexicana, 160. Certhidia, 208. Ceryle alcyon, 127, 234, 308. Chætura pelagica, 135. Chapman, Frank M., experiences of an ornithologist in Mexico (title only) 45; Golden Eagle in New Jersey, 54; notice of his 'Bird-Life, colored ed., 72; probable polygamy of the Great-tailed Grackle (Quiscalus macrourus), 269; notes on the Black Seaside Finch (Ammodramus nigrescens), 270; nesting instincts of Swallows, 271; notice of his 'Notes on Birds observed at Jalapa and Las Vigas, Vera Cruz, Mexico,' 279; Kirtland's Warbler (Dendroica kirtlandi), 289-293. Charadrius dominicus, 52, 127, 318 Chat, Yellow-breasted, 331. Chelidon, 271. erythrogastra, 17, 129, 130, 193, 318. Chewink, 189. Chickadee, Black-capped, 137, 144, Chestnut-backed, 130. Hudsonian, 213 Mountain, 311. Chlorospingus atriceps, 157. olivaceus, 157. postocularis, 157. Chondestes grammacus strigatus, 309. Chordeiles virginianus, 135. virginianus henryi, 308. virginianus sennetti, 54. Chuck-will's-widow, 61, 330. Cinclus mexicanus, 19, 310. Circus hudsonius, 307. Cistothorus palustris, 192. palustris paludicola, 20. Clark, John N., ten days among the

Cathartes aura, 53, 134, 307.

and Swans of North America,' birds of northern New Hamp-278; Kirtland's Warbler (Dendroshire (title only), 45. Clark, Josiah H., notes on the nesting of Palmer's Thrasher at El Cotile, 271. Plomo, Sonoro, Mexico, 272. Clarke, C. K., notes from Ontario, 274; breeding habits of the Solitary Sandpiper (Totanus solitarius), 328. Clivicola, 271. riparia, 17, 25. Coccoborus cyanoides, 229. Coccothraustes vespertinus montanus, 14. Colaptes auratus, 135, 177. auratus luteus, 177. cafer, 234, 308. cafer saturation, 127. Colinus atriceps, 122. coyolcos, 117, 121. godmani, 120. graysoni, 121. graysoni nigripectus, 116, insignis, 119, 122. nigrogularis, 122. pectoralis, 117. 309. ridgwayi, 121. salvini, 119, 122. stelleri 128. virginianus, 184. virginianus texanus, 121. Columba flavirostris madrensis, 340. Columbigallina passerina socorcyanea, 229. roensis, 316. Colvin, Walter S., Chestnut-sided Warbler in eastern Kansas, 59. Cyanospiza, 323. Colymbus nigricollis californicus, ciris, 324. cyanea, 324. Compsothlypis graysoni, 317. inornatus, 159. Contopus borealis, 135. rositæ, 324. virens, 135. Conurus holochlorus brevipes, 317. ludovicianus, 28-32. Cooke, W. W., the Scarlet Ibis — a correction, 183; notice of his 'Further Notes on the Birds of Colorado,' 340. Cormorant, Violet-green, 126, 230. Corvus americanus, 196. devius, 340. caurinus, 128. corax principalis, 55, 128, 135. corax sinuatus, 234, 235, 309, 315, 318. Cory, Charles B., notice of his Birds, 334. Deane, Ruthven, the Passenger

'How to know the Ducks, Geese

ica kirtlandi) in Florida, 331. Coues, Elliott, William Swainson to John James Audubon, a hitherto unpublished letter, 11-13; Auduboniana and other matters of present interest (title only), 45; notes on generic names of certain Swallows, 271. Cowbird, 25, 26, 309. Creeper, Brown, 137. California, 130. Rocky Mountain, 311. Crolius, A. A., nesting of the Robin, 332. Crossbill, American, 128. Crow, American, 27, 196. Northwest, 128. Cuckoo, European, 337. Cuculus auratus, 177. canorus, 337. Culicivora mexicana, 160. Curlew, Eskimo, 52. Cyanocephalus cyanocephalus, 198, Cyanocitta cristata, 135, 269. stelleri macrolopha, 309. Cyanocompsa concreta cyanescens, concreta sanctæ-martæ, 339. cyanodes, 229. parellina, 322. amœna, 324. lelancheri, 324. versicolor, 324. versicolor pulchra, 324. Cyclarhis flavipectus canticus, 339. Cyclorrhynchus psittaculus, 124. Cyphorinus pusillus, 60. Dacnis napæa, 339. Dactylortyx chiapensis, 340. thoracicus, 340. thoracicus lineolatus, 340. Davie, Oliver, notice of his 'Nests and eggs of North! American

Pigeon (Ectopistes migratorius) in Wisconsin and Nebraska, 184. elaware Valley Ornithological Club, notice of eighth annual meeting of, 215; notice of its Delaware 'Abstract of Proceedings,' 341. Dendragapus, 64. canadensis, 61. obscurus, 307. Dendrocincla olivacea auguina, Dendroica æstiva, 18, 310, 330. æstiva rubiginosa, 129. auduboni, 18, 236. cærulescens, 136. cærulescens cairnsi, 192. castanea, 275. decora, 159. graciæ, 310. kirtlandi, 289–293, 331. maculosa, 136. nigrescens, 197. pensylvanica, 59, 136. striata, 61. townsendi, 19, 129, 197. vigorsii, 331. virens, 136. Dickcissel, 213. Diomedea albatrus, 267. immutabilis, 38. nigripes, 317. Dionne, C. E., a Black Vulture near Quebec, Canada, 53. Dipper, American, 310. Dixon, Charles, notice of his 'The Migration of Birds,' amended edition, 67. Dolichonyx oryzivorus, 14. Dove, Clarion Island, 318. Gravson's, 316. Key West Quail, 185. Mourning, 234, 307. Socorro Ground, 316. Dowitcher, 62. Dryobates nuttallii, 196. pubescens, 135. villosus, 134. villosus harrisii, 127, 308. villosus montanus, 54. villosus monticola, 54. Duck, American Scaup, 126, 189. Harlequin, 126. Labrador, 203. Lesser Scaup, 134. Pied, 203. Dutcher, William, report of the A. O. U. Committee on Pro-

tection of North American Birds, Dwight, Jonathan, Jr., Is uniformity in local list possible? (title only), 45; a Petrel new to North America (title only), 48; an untrustworthy observer, 213. EAGLE, Alaskan Bald, 127. Bald, 62, 175, 234. Golden, 54, 308. Washington's, 174. Eastman, C. R., notice of his paper on Struthiolithus chersonensis and on the distribution of Struthious birds, 338. Ectopistes migratorius, 184, 333. Egret, American, 51. Elænia browni, 339. Elliot, D. G., a naturalists' expedition to East Africa (title only), 47; notice of his 'Gallinaceous Game Birds of North America,' 63; do. of his 'Shore Birds,' 2d ed., 63; Canon XL, A. O. U. Code, 294-298. Emberiza nivalis, 324. Embernagra conirostris, 228. striaticeps, 228. Empidonax difficilis, 128, 309. wrightii, 309. Ereunetes occidentalis, 126. Ergaticus versicolor, 159. Euetheia bryanti, 322. coryi, 322. Falco columbarius, 214. columbarius suckleyi, 123. mexicanus, 308. rusticolus obsoletus, 54. sparverius, 308. Falcon, Prairie, 308. Faxon, Walter, Hemiura leucogastra (Gould)—a correction, 60.

Fisher, A. K., rank of the Sage Sparrows, 190.

Flicker, Northern, 177.

Northwestern, 127.

Red-shafted, 234, 308.

Floyd, Harry Webb, wintering of the Towhee (Pipilo erythrophthalmus) at Rockaway Beach, L. I., 190.

San Clemente House, 258.

Finch, Black Sea-side, 270. House, 235, 309.

McGregor's, 265.

Flycatcher, Great-crested, 174. notice of his List of the Birds of Northern Crested, 179. the Pacific Slope of Los Angeles Olive-sided, 135. Co., Cal., 283. Western, 128, 309. Grosbeak, Alaskan Pine, 319. Wright's, 309. Black-headed, 310. Fratercula corniculata, 124. Panama Blue, 229. Rocky Mountain Pine, 319. Fregata aquila, 314, 316, 318. Fringilla arvensis, 225. Rose-breasted, 190. capensis, 224. Western Blue, 322. Grouse, Dusky, 307. celæno, 226. lapponica, 324. Ruffed, 134. manimbe, 224, Guillemot, Pigeon, 124. mortonii, 32 I. Guiraca cærulea eurhyncha, 322. cærulea lazula, 322. oryzivora, 324. Fuertes, Louis Agassiz, occurrence of Leconte's Sparrow (Ammochiapensis, 340. cyanoides, 229. dramus lecontii) at Ithaca, N. Y., Gull, American Herring, 49. Bonaparte's, 125. Glaucous, 50, 61. GALBULA ruficauda pallens, 339. Glaucous-winged, 125, 230. Galeoscoptes carolinensis, 19, 137. Heermann's, 313. Gallinago delicata, 195. Laughing, 168, 171. Gallinule, Purple, 195. Mew, 198 Gavia imber, 124. Ross's, 183. Western, 313, 315. lumme, 124. pacificus, 124. Gurney, J. H., notice of his 'The Geospiza, 208. Economy of the Cuckoo,' 337. conirostris, 208. Gymnostinops cassini, 327. ى در د ,Geothlypis agilis guatimozinus, 326. Gyrfalcon, Black, 54. macgillivrayi, 19. philadelphia, 136. trichas, 59, 75, 137, 193. НÆMATOPUS bachmani, 127, 230. trichas occidentalis, 19. Hæmophila pulchra, 224. Geotrygon chrysia, 185. stolzmanni, 224. Gibson, Wm. Hamilton, notice of Haines, Edwin I, the summer his 'Studio Neighbors,' 65. birds of the Catskill Mountains, Goldfinch, American, 136, 239-243. etc. (title only), 47. Arkansas, 235, 309. Haliæetus leucocephalus, 62, 175, Yucatan, 320. Goshawk, Western, 127, 308. leucocephalus alascensis, 127. Grackle, Bronzed, 25, 135. leucocephalus washingtoni, Great-tailed. 269. Harporhynchus bendirei, 3, 4. Grallaria ochraceiventris, 340. Grassquit, Bryant's, 322. curvirostris palmeri, 272. Cory's, 322. redivivus, 237. Grebe, American Eared, 307. redivivus pasadensis, 237. Grinnell, Joseph, rank of the Sage Hawk, American Sparrow, 308. Sparrow, 58; notice of his 'Report on the Birds.... of Santa Cooper's, 127, 307. Marsh, 307. Barbara, San Nicolas, and San Pigeon, 215. Clemente,' 73; summer birds of Sharp-shinned, 127. Sitka, Alaska, 122-131; land birds Socorro Red-tail, 316. observed in midwinter on Santa Swainson's 61, 308. Catalina Island, California, 233-Western Red-tail, 308. 236; geographical races of Har-Heleodytes brunneicapillus obporhynchus redivivus, 236; the scurus, 340. San Nicolas Rock Wren, 237-239; gularis, 160.

Heleodytes occidentalis, 160. Helminthophila celata lutescens, 18, 129. celata sordida, 234, 236. pinus, 59. rubricapilla gutturalis, 18. Hemithraupis, 226, 330. Hemiura leucogastra, 60. Henninger, W. F., the Pine War-(Dendroica vigorsii) a breeder in Ohio, 331. Heron, Great Blue, 126, 316, 318. Little Blue, 195. Yellow-crowned Night, 316. Hesperocichla nævia, 131. Hesperornis, affinities of, 70, 339. Heteractitis incanus, 127, 315, 316, 318. Heterospingus, 225. Himantopus mexicanus, 307. Hirundo, 271. cayennensis, 7. Histrionicus histrionicus, 126. Hornaday, William T., notice of his 'The Destruction of our Birds and Mammals,' 280. Howe, Reginald Heber, Jr., the aërial song of the Maryland Yel-

Howe, Reginald Heber, Jr., the aërial song of the Maryland Yellowthroat, 59; breeding habits of the American Robin (Merula migratoria) in eastern Massachusetts, 162-167; the Sea-side Sparrow on Cape Cod in winter, and other notes, 189; a note on the Wood Thrush, 332; notes from Chateaugay Lake, New York,

Hummingbird, Allen's, 235.
Anna's, 235.
Black-chinned, 308.
Broad-tailed, 308.
Morcom's, 325.
Rufous, 128.

Hylocichla, 304. ustulata almæ, 304-306.

IBIS, Glossy, 50. Scarlet, 183. White-faced Glossy, 184, 307. Icteria virens, 332. virens longicauda, 22. Icterus bullocki, 14, 309. Incaspiza, 224.

Ionornis martinica, 195.

JACOBS, J. Warren, late nesting of the Carolina Wren in Monongalia Co., W. Va., 60; notice of his 'Gleanings from Nature, No. 1. Oölogical Abnormalities,' 281.

Jay, Blue, 135, 269, 277.

Canada, 213.

Long-crested, 309.

Piñon, 198, 309.

Rocky Mountain, 309.

Steller's, 128.

Woodhouse's, 309.

Job, Herbert K., the Northern Raven breeding in New England, 55; an uncommon Gull in Massachusetts, 50.

Judd, Sylvester D., protective adaptations of insects from an ornithological point of view (title only), 44.

Junco hyemalis, 61.

hyemalis carolinensis, 136.
hyemalis connectens, 16.
hyemalis oregonus, 128.
montanus, 321.
phæonotus dorsalis, 310.

Junco, Carolina, 136. Montana, 321. Oregon, 128. Red-backed, 310.

KENNARD, Fred H., unusual nesting site of Kingbird, 268; habits of the Blue Jay, 269.

Killdeer, 27, 307. Kingbird, 174, 268. Arkansas, 309. Florida, 178.

Kingfisher, Belted, 127, 234, 308. Kinglet, Golden-crowned, 214.

Ruby-crowned, 214, 236. Sitkan, 130. Western Golden-crowned,

130. Kingsley, J. S., notice of his paper

'Hair and Feathers,' 207, Kirkover, H. D., Jr., the Glossy Ibis in Western New York, 50;

Ibis in Western New York, 50; the Greater Yellow-Legs catching minnows, 51.

Kirkwood, F. C., the Redhead (Aythya americana) in postnuptial plumage in autumn, 50. Kittiwake, Pacific, 125, 267. Knot, 62.

Lanius ardosciaceus, 244, 245. borealis, 18, 244. Lanius carolinensis, 244, 245. excubitor, 244. excubitoroides, 245. ludovicianus, 244, 247. ludovicianus anthonyi, 261. ludovicianus excubitoroides, 244, 247. gambeli, 234, ludovicianus 235, 261. ludovicianus ludovicianus, 248, 254. ludovicianus migrans, 248. tyrannus, 179. Lano, Albert, Sennett's Nighthawk (Chordeiles virginianus sennetti) at Madison, Minn., 54; Great Gray Owl (Scotiaptex cinerea) in Minnesota, 186. Lapwing, 195. Lark, Desert Horned, 309. Larus argentatus smithsonianus, 49. atricilla, 76, 168. canus, 198. glaucescens, 125, 230 glaucus, 50,61. occidentalis, 315. philadelphia, 125. Lee, Oswin A. J., notice of his Among British Birds in their Nesting Haunts,' 334. Lemmon, Wm. P., Virginia Rail killed by striking a telephone wire, 51. Leptotila capitalis, 340. Leucosticte tephrocotis littoralis, Longspur, Alaskan, 320. Kamtschatkan, 320. Loon, 124. Pacific, 124. Red-throated, 124. Loxia curvirostra bendirei, 4. curvirostra minor, 15, 128. Loxigilla affinis, 322.

MACKAY, George H., the Terns of Muskeget Island, Mass., Part IV, 168-172; Gull Dick, 49; the 1897 Migration of the Golden Plover (Charadrius dominicus) and the Eskimo Curlew (Numenius borealis) in Massachusetts, 52; the Fauna of Muskeget Island—a reply, 210.

richardsoni, 224.

Lunda cirrhata, 124, 230.

Lysurus, 225.

Macrorhamphus griseus, 62.
Magpie, American, 274, 309.
Mailliard, Joseph, Baird's Sandpiper (*Tringa bairdii*) on the California coast, 51; occasional visitants at San Geronimo (Nicasio Township), Marin Co., California, 196; California bird notes, 197; notes on the nesting of the Fork-tailed Petrel (*Oceanodroma furcata*), 230-233.

Malmgren, Dr. Anders Johan, notice of death of, 214.

Marsh, O. C., notice of his 'The Affinities of *Hesperornis*,' 70. Martin, Purple, 22, 136, 193.

Martinet à collier, de Cayenne, 7. McCormick, S. M., nesting habits of the Robin, 274.

McGregor, R. C., note on Speotyto cunicularia obscura Stephens, 187; young plumages of Mexican birds, 264; description of a new Ammodramus from Lower California, 265.

McLain, Robert B., the California Vulture in Santa Barbara Co., Cal., 185; the Rose-breasted Grosbeak in California, 190; capture of the Short-tailed Albatross on the coast of southern California, 267.

Meadowlark, Western, 56, 309, 333. Mearns, Edgar A., descriptions of two new birds from the Santa Barbara Islands, southern California, 258–264.

Megascops asio bendirei, 4. asio trichopsis, 308. aspersus, 186.

Melanerpes erythrocephalus, 135. formicivorus, 308. torquatus, 188, 197.

wagleri sanctæ-marthæ, 339. Melanospiza, 224. Melanotis cærulescens longirostris,

340. Meleagris gallopavo, 64. gallopavo mexicana, 307. sylvestris ellioti, 61. sylvestris intermedia, 61.

Melospiza fasciata, 27, 76, 136. fasciata merrilli, 16. fasciata montana, 310. fasciata rufina, 128. georgiana, 275. incompta, 339.

Melospiza lincolnii, 128, 189. lincolnii striata, 129. Merganser serrator, 126. Merganser, Red-breasted, 126. Merriam, C. Hart, Syrnium occidentale caurinum, a new Owl from the Puget Sound Region, Merriam, Florence A., notice of her 'Birds of Village and Field,' 206. Merrill, J. C., in memoriam: Charles Emil Bendire, 1-6; notes on the Birds of Fort Sherman, Idaho (concluded from Vol. XIV), 14-22; Spotted Sandpiper removing its young, 52. Merula leucauchen, 161. migratoria, 137, 162, 274, 332. migratoria propinqua, 21, 130, 311. plebius, 161. wilsonii, 304. Micropallas graysoni, 317. Miller, Gerrit S., Jr., the fauna of Muskeget Island — a protest, 75. Mimodes graysoni, 317. Mimodes, Grayson's, 317. Mimus gracilis, 159. gracilis lawrencei, 159. polyglottos, 59, 197, 234, 236, Mitchell, Walton I., the summer birds of San Miguel County, New Mexico, 306-311. Mitrospingus, 225. Mockingbird, 59, 236, 333. Mojsisovics, Dr. Felix George Herman August, notice of death of, 215. Molothrus ater, 14, 309. Montgomery, Thomas Montgomery, Н., notice of his 'A List of the Birds of the Vicinity of West Chester, Chester Co., Pa., 72. Moore, Willie H., Lincoln's Sparrow in New Brunswick, 189; Long-billed Marsh Wren in New Brunswick, 192. Motacilla sialia, 182. Murre, Brünnich's, 183, 214. California, 125. Murrelet, Ancient, 197. Marbled, 49, 124. Xantus's, 197. Myiadestes townsendii, 21, 197, 311.

Myiarchus crinitus, 179.

Myiarchus crinitus boreus, 179. Myiopagis placens minimus, 340. Myiospiza, 224.

Nelson, E. W., with Bob-white in Mexico, 115-122; notes on certain species of Mexican birds, 155-161; the Imperial Ivorybilled Woodpecker, Campephalus imperialis (Gould), 217-223; notice of his papers describing new birds from Mexico, 339. Nesomimus, 208.

New York Zoölogical Society, its work and plans, 79.

Nighthawk, 135. Sennett's, 54. Western, 308.

Noddy, Ridgway's, 316. Nowotny, Dr., the breeding of the Carolina Paroquet in captivity, 28-29.

28-32. Nucifraga columbiana, 309. Numenius borealis, 52. Nutcracker, Clark's, 309. Nuthatch, Brown-headed, 180.

Florida Brown-headed, 180. Pigmy, 311. Red-breasted, 137. Slender-billed, 311. White-bellied, 145.

Nycticorax violaceus, 316. Nyctidromus albicollis insularis, 340.

OBERHOLSER, Harry C., description of a new Amazilia, 32-36; some notes on Liberian birds (title only), 45; Colinus virginianus in peculiar plumage, 184; Amazilia cerviniventris chalconota—a correction, 188; description of a new North American Thrush, 303-306.

Oceanodroma furcata, 124, 230-233. homochroa, 143. leucorhoa, 50, 125, 231, 232, 233.

> kaedingi, 37, 314, 316, 317. macrodactyla, 141. melania, 141, 142, 144. socorroensis, 58, 141, 142,

144. Oidemia deglandi, 126. perspicillata, 126. Oreophasis derbianus, 156. Oreortyx pictus, 22.

| Oreospiza chlorura, 310.   | Petrel, Leach's, 50, 125, 231.       |
|--|--------------------------------------|
| Oriole, Bullock's, 309.  | Least, 142.                          |
| Oropendola, Cassin's, 327.                                       | Socorro, 141.                        |
| Ostinops guatimozinus, 326.                                      | Petrochelidon lunifrons, 17, 310.    |
| Otocoris alpestris arenicola, 309.                               | Peucæa æstivalis botterii, 227.      |
| Owen, Charles C., the American                                   | arizonæ, 227.                        |
| Egret at Maplewood, N. J., 51.                                   | botterii, 227.                       |
| Owl, Burrowing, 187, 234, 308.                                   | carpalis, 3.                         |
| Clarion Burrowing, 318.  | mexicanus, 227.                      |
| Grayson's Elf, 317.  | Pewee, 135.                          |
| Great Gray, 186.   | Wood 135.                            |
| Mexican Screech, 308.  | Pezopetes, 223.                      |
| Muskeget, 211.   | Phaëthon æthereus, 314, 316, 317.    |
| Short-eared, 77, 210, 211, 234,                                  | americanus, 208.                     |
| 308.   | flavirostris, 208.                   |
| Spotted, 308.  | rubricaudatus, 38, 39.               |
| Western Horned, 71.  | Phalacrocorax pelagicus robustus,    |
| Western Spotted, 39.   | 230.                                 |
| Oyster-catcher, Black, 127, 230.                                 | Phalænoptilus nuttalli, 308.         |
|  | Phalarope, Northern, 126.            |
| Pachyramphus major, 156.   | Wilson's 268.                        |
| Palmer, William, our small eastern                               | Phalaropus lobatus, 126.             |
| Shrikes, 244–258.  | Pharomacrus mocinno, 136.            |
| Panyptila cayennensis, 7.  | Phœbe, Black, 235.                   |
| sancti-hieronymi, 7  | Say's, 235, 309.                     |
| Paroquet, Carolina, 28.  | Phænicothraupis rubicoides roseus,   |
| Short-footed, 317.   | 340.                                 |
| Partridge, Gambel's 307.   | Phæniscoma bidentata, 159.           |
| Valley, 234.   | Pica pica hudsonica, 274, 309.       |
| Parus atricapillus, 20, 137, 144, 150.                           | Picoides americanus, 333.            |
| bicolor, 181, 213.   | Picus imperialis, 217.               |
| bicolor floridanus, 181.   | pileatus, 176.                       |
| gambeli, 21, 311.  | Piers, Harry, remarkable ornitho-    |
| hudsonicus, 213.   | logical occurrences in Nova          |
| meridionalis, 160.   | Scotia, 195.                         |
| rufescens, 21, 130.  | Pigeon, Passenger, 184, 333.         |
| sclateri, 160.   | Pinicola enucleator alascensis, 319. |
| (Lophophanes) bicolor flori-                                     | enucleator californica, 320.         |
| danus, 181.  | enucleator canadensis, 320.          |
| Passer domesticus, 136, 193.                                     | enucleator flammula, 320.            |
| Passerella iliaca megarhyncha, 235.                              | enucleator kadiaka, 320.             |
| iliaca schistacea, 17.   | enucleator montana, 319.             |
| iliaca unalaschensis, 129, 235.                                  | Pipilo aberti, 310.                  |
| Passerina, 323.  | carmani, 264, 317.                   |
| amœna, 17.   | clementæ, 73.                        |
| hyperborea, 324.   | erythrophthalmus, 136, 189,          |
| nivalis, 324.  | 190.                                 |
| nivalis townsendi, 324.  | fuscus mesoleucus, 310.              |
| Pearson, T. Gilbert, an addition                                 | maculatus, 157.                      |
| and a correction to the list of                                  | maculatus megalonyx, 17              |
| North Carolina birds, 275.                                       | 235.<br>orizabæ, 157.                |
| Penelopina nigra, 156.   | Pipit, American, 129.                |
| Perisoreus canadensis, 213.                                      | Piranga bidentata, 157, 158, 159.    |
| canadensis capitalis, 309.<br>Petrel, Fork-tailed, 125, 230–233. | faceta, 339.                         |
|  | ludoviciana, 17.                     |
| Guadeloupe, 142.<br>Kaeding's, 142, 214, 216, 217.               | sanguinolenta, 157, 158, 150.        |
|  |                                      |

RAIL, Virginia, 51. Rallus virginianus, 51.

Raven, 55.

Marbled Murrelet, 49.

Ralph, W. L., note on egg of the

American, 235, 309, 315, 318.

Raven, Northern, 128, 135. Pitylus, 223. Recurvirostra americana, 307. fuliginosus, 223. Redhead, 50. grossus, 223. lazulus, 322. Redstart, American, 332. Red-tail, Socorro, 316. Plagiospiza, 224. Western, 307. Plectrophenax hyperboreus, 269. Reed, J. Harris, the Terns of Great Gull Island, N. Y., during 1897, nivalis, 15. Plegadis autumnalis, 50. 40-43; birds nesting under elecguarauna, 184, 307. tric arc-light hoods, 193; the use of hornets' nests by birds, rubra, 183. Plover, American Golden, 127. 193; accidental death of a Hooded Belted Piping, 27, 62. Warbler (Sylvania mitrata), 272; Golden, 52. Mountain, 307. nest building under difficulties, Semipalmated, 27, 127. Polioptila cærulea mexicana, 160. Regulus calendula, 21, 214, 236. Polyborus cheriway pallidus, 340. satrapa, 214. satrapa aztecus, 160. Poocætes gramineus confinis, 15, satrapa olivaceus, 21, 130, 309. Poor-will, 308. Rhodostethia rosea, 183. Progne sinaloæ, 340. subis, 22, 136, 193. Rhodothraupis, 226. Rhynchospiza, 224. Pselliophorus, 225. Pseudogryphus californianus, 185. Richmond, Charles W., the Cayenne Swift, Panyptila cayennen-sis (Gmelin), 7-10; description Publications received, 73, 208, 285, 341. Puffin, Horned, 124. Tufted, 124, 230. of a new species of Gymnostinops, 326; Tyrannus magnirostris d' Orb. renamed, 330. Puffinus assimilis, 48. Ridgway, Robert, descriptions of auricularis, 38, 313, 316, 317. supposed new genera, species, and subspecies of American cuneatus, 39, 313, 316. griseus, 125, 197. Birds. - I, Fringillidæ, 223-230; tenuirostris, 197. new species, etc., of American Pyrgisoma kieneri, 156. Birds. - II, Fringillidæ (conrubricatum, 157. tinued), 319-324; description of a new Apericas of Hummingbird rubricatum xantusi, 156. xantusi, 🛮 56. from Arizona, 325; Hemithrau-Pyrgita peruviana, 321. Pyrocephalus, 208. pis—a correction, 331. Pyrrhulagra affinis, 322. Rîparia, 271. dominicana, 323. cinerea, 272. coryi, 323. europæa, 272. crissalis, 323. riparia, 272. Pyrrhulagra, Cory's, 323. Rissa tridactyla pollicaris, 125, 267. Rives, William C., summer birds of the West Virginia Spruce Dominican, 323. Haitien, 322. Belt, 45, 131–137. St. Vincent, 323. Robin, American, 137, 162-167, 274, Quiscalus quiscula æneus, 135. 332. Western, 130. macrourus, 269.

Rowley, John, notice of his 'The Art of Taxidermy,' 282. SAGE, John H., Fifteenth Congress of the American Ornithologists' Union, 43-48; notice of his 'List of Birds of Portland, Conn.,' 284.

Salpinctes obsoletus, 19, 234, 236, 239, 310, 315. obsoletus pulverius, 238. Salvin, Osbert, notice of death of, 286; biographical sketch of, 343. Sanderson, E. Dwight, the economic value of the White-bellied Nuthatch and Black-capped Chickadee, 144-145. Sandpiper, Baird's, 27, 51, 126. Bartramian, 53. Least, 27, 126. Pectoral, 27. Solitary, 27, 213, 307, 328. Spotted, 27, 52, 134, 307, 316. Western, 126. Sapsucker, Red-naped, 196, 308. Williamson's, 308. Sayornis nigricans, 235. phæbe, 135. saya, 22, 235, 309. Scolecophagus carolinus, 193. cyanocephalus, 14, 309. Scoter, Surf, 126. White-winged, 126. Scotiaptex cinerea, 186. Scott, William E. D., notice of his 'Bird Studies, an account of the Land Birds of Eastern North America,' 276. Scudder, Bradford Alexander, Ectopistes migratorius, Mimus polyglottos, and Sturnella magna neglecta in Bristol Co., Mass., Seiurus motacilla, 60. noveboracensis, 136. Selasphorus alleni, 235. platycercus, 308. rufus, 128. Serinopsis, 225. Setophaga miniata flammea, 159. picta guatemalæ, 159. ruticilla, 19, 332 Shearwater, Dark-bodied, 125. Eared, 313, 316, 317. Slender-billed, 197. Wedge-tailed, 313, 316. Shrike, California, 235. Island, 261. Loggerhead, 244, 248. Migrant, 248. Northern, 244.

Sialia arctica, 21, 311.

sialis, 137, 182.

sialis grata, 182.

mexicana bairdi, 21, 311.

Silloway, P. M., notice of his 'Sketches of Some Common Birds,' 281. Sitta canadensis, 20, 137. carolinensis, 144, 145. carolinensis aculeata, 20, 311. pusilla, 180. pusilla caniceps, 180. pygmæa, 20, 311. Sittasomus sylvioides, 156. Snipe, Wilson's 195. Snowflake, McKay's, 269. Solitaire, Townsend's, 197, 311. Sparrow, Black Sea-side, 270. Chipping, 136. Chihuahuan Pileated, 228. Clay-colored, 275. Curação, 321. Desert, 229. English, 136, 309. Field, 136, 330. Golden-crowned, 235. House, 193. Huatusco, 227. Intermediate, 235. Ipswich, 213. Lagoon, 265. Laguna, 212. Leconte's, 188. Lincoln's, 128, 189, 239. Mountain Song, 310. Pine, 331. Richmond's, 228. Sage, 58, 190. San Benito, 264. San Clemente, 230. Seaside, 189. Song, 27, 136. Sooty Song, 128. Thick-billed, 235. Townsend's, 129, 235. Venezuelan, 228. White-crowned, 58, 213, 214. Western Lark, 309. Western Chipping, 310. Western Vesper, 309. Spaulding, F. B., Leach's Petrel at Lancaster, N. H., 50. Speotyto cunicularia obscura, 187. cunicularia hypogæa, 234, rostrata, 318. Sphyrapicus thyroideus, 22, 308. varius, 134. varius nuchalis, 196, 308. Spinus pinus, 15.

Sialia sialis guatemalæ, 181.

Spinus psaltria, 235, 309. tristis, 15, 136, 239–243. Spizella monticola ochracea, 16. pallida, 275. pusilla, 136, 330. socialis, 136. socialis arizonæ, 16, 310. Sporathraupis, 330. Starling, 55. Steganopus tricolor, 268. Steineger, Leonhard, Ross's Gull (Rhodostethia rosea) on Behring Island, 183. Stelgidostomus, 226. Sterna antillarum, 27. dougalli, 76, 168. fuliginosa, 316. hirundo, 76, 168. paradisæa, 76, 168. Stilt, Black-necked, 307. Stone, Witmer, notice of his paper, 'The Genus Sturnella,' 70; do. of his paper on the 'Proper name of the Western Horned Owl,' 71; Wilson's Phalarope (Steganopus tricolor) at Ocean City, N. J., 268; McKay's Snowflake (Plectrophenax hyperboreus) at Bethel, Alaska, 269; Antrostomus carolinensis devouring other birds, 330; Dendroica kirtlandi in Pennsylvania — a correction, Struthiolithus chersonensis, 338. Sturnella magna, 76. magna hoopesi, 70. magna mexicana, 70. magna neglecta, 14, 56, 309, 333∙ Sturnus vulgaris, 55. Sula cyanops, 314, 316, 317. brewsteri, 314, 316. websteri, 314, 316, 317. Surber, Thaddeus, two species new to the list of birds found in West Virginia, 61. Swainson, William, an unpublished letter of, to John James Audubon, 11-13. Swallow, Bank, 25, 194, 272. Barn, 129, 136, 193, 194, 318. Cliff, 310. Eave, 194. Tree, 129, 271. Violet-green, 310. White-bellied, 194. Swift, Cayenne, 7-10.

Swift, Chimney, 135. White throated, 308. Sycalis browni, 339. Sylvania canadensis, 137. mitrata, 272. pusilla pileolata, 19, 129. Symphemia semipalmata, 62. Synthliboramphus antiquus, 197. Syrnium occidentale, 39, 308. occidentale caurinum, 39, 40. TACHYCINETA bicolor, 17, 129, 271. thalassina, 310. Tachyphonus cassini, 225. rubrifrons, 225. tibialis, 225. Tanagra cyanea, 324. ruficollis, 322. Tattler, Wandering, 127, 315, 316, 318. Teal, Blue-winged, 307. Green-winged, 307. Tern, Common, 168. Least, 27. Roseate, 169. Sooty, 316. Terns of Great Gull Island, N. Y., 40-43; of Muskeget Island, Mass., 168-172. Thayer, Abbott H., the underlying principle of protective coloration (abstract), 46. Thrasher, Palmer's, 272. Southern California, 237. Thrush, Alma's, 304-306. Bicknell's, 60, 214. Dwarf Hermit, 130, 236. Gray-cheeked, 214. Hermit, 214. Louisiana Water, 60. Northern Water, 136. Olive-backed, 137, 214. Russet-backed, 130. Varied, 131. Wood, 332, 333. Thryothorus bewickii spilurus, 234, 236. bewickii leucogaster, 310. lætus, 339. lawrencii madalenæ, 340. ludovicianus, 60, 192, 274. Titmouse, Florida Tufted, 181. Tufted, 181, 213, 214. Totanus melanoleucus, 51. solitarius, 27, 213, 307, 328, Towhee, 136, 189, 190. Cañon, 310.

Vireo, Plumbeous, 310. Towhee, Carmon's 317. Green-tailed, 310. Solitary, 136. Socorro, 264. Stephens's, 310. Spurred, 235. Vulture, Black, 53, 196. Tringa bairdi, 27, 51, 126. California, 185. canutus, 62. Turkey, 53, 307. maculata, 27. minutilla, 27, 51, 126. WARBLER, Alaskan Yellow, 129. Trochilus alexandri, 308. Audubon's 236. Troglodytes aëdon, 137. Bay-breasted, 275. Black-throated Blue, 136. aëdon aztecus, 310. aëdon parkmanii, 19. Black-throated Gray, 197. hiemalis, 137, 196. Black-throated Green, 136. hiemalis pacificus, 19, 130. Blue-winged Yellow, 59. insularis, 317. Cairns's, 192. leucogaster, 60. Canada, 137. tanneri, 318. Chestnut-sided, 59, 136. Tropic Bird, see Bird, Tropic. Connecticut, 193. Turdus, aliciæ, 214. Grace's, 310. aliciæ bicknelli, 60, 214. Grayson's, 317. Hooded, 272. aonalaschæ, 130, 236. aonalaschæ pallasii, 214. Kirtland's, 289-293, 331. crinitus, 180. Lutescent, 129, 236. fuscescens, 21, 304. Magnolia, 136. minimus, 304. Mourning, 136. mustelinus, 332, 333. swainsonii, 303. Pileolated, 129. Townsend's, 129, 197. ustulatus, 130. Yellow, 310. ustulatus swainsonii, 21, 137, Warren, Oscar B., some corrections, 214. 193. Turkey, Mexican, 307. Whip-poor-will, 332. Turnstone, 27, 318. White, G. R., Brünnich's Murre Black, 127. (Uria lomvia) at Ottawa, Can-Tryannus cubensis, 330. ada, 183. magnirostris, 330. Widmann, O., the great roosts of tyrannus, 178, 268. Gabberet Island, opposite North tyrannus vexator, 178. St. Louis, Mo., 22–27. verticalis, 309. Willet, 62. Williams, W. J. B., the Yellow-UNITED Ornithologists of Maine, breasted Chat in Oneida County, notice of second annual meet-N. Y., 331. ing of, 216. Woodpecker, American Three-toed, Uria lomvia, 183, 214. troile californica, 125. California, 308. Downy, 135. Vanellus vanellus, 195. Golden-winged, 135. Vireo gilvus, 18, 138. Hairy, 134. huttoni obscurus, 138. Harris's, 127, 308. huttoni stephensi, 310. Imperial Ivory-billed, 217. hypochryseus sordidus, 340. Lewis's, 188, 197. olivaceus, 18. Northern Pileated, 176. philadelphicus, 191, 333. Nuttall's, 196. solitarius, 136. Pileated, 135. solitarius cassini, 18, 138. Red-headed, 135. solitarius plumbeus, 310. Yellow-bellied, 135. Vireo, Anthony's, 138. Woodruff, Frank M., Lake Michi-Philadelphia, 191, 333. gan notes, 61.

Worcester, Dean C., and Frank S. Bourns, notice of their 'Contributions to Philippine Ornithology,' 284.

ogy,' 284.
Wren, Baird's, 310.
Cañon, 310.
Carolina, 60, 192, 273.
House, 137.
Island, 317.
Long-billed Marsh, 192.
Rock, 236, 237, 310.
San Nicolas Rock, 237, 238.
Tanner's, 318.
Vigory's 236.

Vigors's, 236. Western House, 310. Western Winter, 130. Winter, 127, 106.

Winter, 137, 196. Wright, Mabel Osgood, notice of her 'Birdcraft,' 2d ed., 66. XANTHOCEPHALUS xanthocephalus, 193.

YELLOW-LEGS, 51. Yellowthroat, Maryland, 59, 75, 137. Young, C. J., the Philadelphia Vireo (Vireo philadelphicus), 191.

ZAMELODIA ludoviciana, 191. melanocephala, 17, 310. Zenaidura clarionensis, 218

meianocephala, 17, 316 Zenaidura clarionensis, 318. graysoni, 316. macroura, 234, 307. Zonotrichia albicollis, 61.

capensis costaricensis, 321. leucophrys, 58, 214. leucophrys intermedia, 16.